AUTHOR INDEX

(D) Denotes Demonstration, (T) Title only, (C) Communication, (PC) Poster Communication

AGUAYO Luis G. Post-natal development of K^+ currents studied in isolated rat pineal cells. 283

AL-AMOOD W.S. & LEWIS D.M. A comparison of the effects of denervation on the mechanical properties of rat and guinea-pig skeletal muscle. 1

ALLEN D.G., LEE J.A. & WESTERBLAD H. The effects of fatigue on intracellular calcium measured with fura-2 in isolated single muscle fibres from *Xenopus*. (C) 49*P*

ALPERT Norman R., BLANCHARD Edward M. & MULIERI Louis A. Tension-independent heat in rabbit papillary muscle. 433

AMASSIAN V.E., CRACCO R.Q., MACCABEE P.J. & SOMASUNDARAM M. Focal magnetic coil stimulation near human central sulcus exceptionally elicits localized contralateral paraesthesias. (C) 22*P*

ANDERSON L.C., GARRETT J.R. & PROCTOR G.B. Sympathetic nerve stimulation of parotid glanduar secretion in the streptozotocin-diabetic anaesthetized rat. (C) 28*P*

ANDREASEN Mogens, LAMBERT John D.C. & JENSEN Morten Skovgaard Effects of new non-*N*-methyl-D-aspartate antagonists on synaptic transmission in the *in vitro* rat hippocampus. 317

ANTONI F.A. & DAYANITHI G. Guanosine 3′5′-cyclic monophosphate (cGMP) and activators of guanylate cyclase inhibit secretagogue-induced corticotrophin (ACTH) release by isolated rat anterior pituitary cells. (C) 43*P*

ASHBY P. & WIENS M. Reciprocal inhibition following lesions of the spinal cord in man. 145

ASHLEY C.C., LEA T.J., MULLIGAN I.P. & TIMMERMAN M.P. Calcium-induced calcium release from the sarcoplasmic reticulum of *Balanus* striated muscle using laser-induced photolysis of nitr-5. (C) 50*P*

BACHELARD H.S., BATES T.E., BROOKS K., GADIAN D.G., KAUPPINEN R.A. & WILLIAMS S.R. Intracellular acidification induced by low concentrations of ammonium ions in cortical brain slices from guinea-pig: a ^{31}P NMR study. (C) 53*P*

BARRETT G., COLE J.D., SEDGWICK E.M. & TOWELL A.D. Passive movement-related cortical potentials with and without feedback in man. (C) 10*P*

BARRETT G., COLE J.D., SEDGWICK E.M. & TOWELL A.D. Active and passive movement-related cortical potentials in man with a large-fibre sensory neuropathy. (C) 11*P*

BATES T.E. *see* BACHELARD H.S., BATES T.E., BROOKS K., GADIAN D.G., KAUPPINEN R.A. & WILLIAMS S.R. Intracellular acidification induced by low concentrations of ammonium ions in cortical brain slices from guinea-pig: a ^{31}P NMR study. (C) 53*P*

BETTANEY J., DRAY A. & FORSTER P. Extracellular sodium and desensitization of nociceptive fibres by capsaicin in the neonatal rat spinal cord/tail *in vitro*. (C) 21*P*

BEUCKELMANN D.J. & WIER W.G. Sodium–calcium exchange in guinea-pig cardiac cells: exchange current and changes in intracellular Ca^{2+}. 499

BLANCHARD Edward M. *see* ALPERT Norman R., BLANCHARD Edward M. & MULIERI Louis A. Tension-independent heat in rabbit papillary muscle. 433

BOCZEK-FUNCKE A., DEMBOWSKY K., HÄBLER H.-J., JÄNIG W. & MICHAELIS M. Respiratory modulation of thoracic sympathetic preganglionic neurones in the anaesthetized cat. (C) 35*P*

BOYD C.A.R. & KUDO Y. Regulation by pH of cation selectivity of human placental basal plasma membrane vesicles determined by measurement of L-lysine influx. (C) 52*P*

BROOKS K. *see* BACHELARD H.S., BATES T.E., BROOKS K., GADIAN D.G., KAUPPINEN R.A. & WILLIAMS S.R. Intracellular acidification induced by low concentrations of ammonium ions in cortical brain slices from guinea-pig: a ^{31}P NMR study. (C) 53*P*

BROOKS P.A. & SPYER K.M. Intracellular recordings from rat nucleus tractus solitarius *in vitro* and investigation of the effects of inositol hexakisphosphate. (C) 33*P*

BROWN P.D. ELLIOTT A.C. & LAU K.R. Indirect evidence for the presence of non-specific anion channels in rabbit mandibular salivary gland acinar cells. 415

BUSZA A.L., FULLER B.J. & PROCTOR E. Application of ^{31}P-NMR spectroscopy to the study of metabolism during cold preservation and perfusion of the isolated rat liver. (D) 7*P*

CHAPMAN R.A. & TUNSTALL J. An inhibition of contraction by ryanodine in isolated frog atrial muscle. (C) 55P

CHATAMRA K. & PROCTOR E. Measurements of liver blood flow in acute liver damage in the anaesthetized rat using hydrogen clearance. (D) 6P

CHATAMRA K.-R., DANIEL P.M. & WARLEY Alice Liver glycogen in the anaesthetized diabetic rat. (C) 42P

CHEN Bing & MAKOUS Walter Light capture by human cones. 89

COLE J.D. *see* BARRETT G., COLE J.D., SEDGWICK E.M. & TOWELL A.D. Passive movement-related cortical potentials with and without feedback in man. (C) 10P

COLE J.D. *see* BARRETT G., COLE J.D., SEDGWICK E.M. & TOWELL A.D. Active and passive movement-related cortical potentials in man with a large-fibre sensory neuropathy. (C) 11P

COLESHAW Susan R.K., DONALDSON G., EASTON J.C., KEATINGE W.R. & SYNDERCOMBE-COURT Denise Haematological changes during cooling and rewarming in humans. (C) 41P

COLLINGRIDGE G.L., DAVIES S.N. & REYMANN K.G. Long-term potentiation in the rat hippocampal slice *in vitro* is associated with a delayed increase in sensitivity of CA1 neurones to AMPA. (C) 23P

COULTER Douglas A., HUGUENARD John R. & PRINCE David A. Calcium currents in rat thalamocortical relay neurones: kinetic properties of the transient, low-threshold current. 587

COWLEY JR A.W., CROSS K.M., CROSS R.B. & ROMAN R.J. Renal interstitial pressure in the conscious dog. (C) 32P

CRACCO R.Q. *see* AMASSIAN V.E., CRACCO R.Q., MACCABEE P.J. & SOMASUNDARAM M. Focal magnetic coil stimulation near human central sulcus exceptionally elicits localized contralateral paraesthesias. (C) 22P

CROSS K.M. *see* COWLEY JR A.W., CROSS K.M., CROSS R.B. & ROMAN R.J. Renal interstitial pressure in the conscious dog. (C) 32P

CROSS R.B. *see* COWLEY JR A.W., CROSS K.M., CROSS R.B. & ROMAN R.J. Renal interstitial pressure in the conscious dog. (C) 32P

CULL-CANDY Stuart G., MARSHALL Cameron, G. & OGDEN David Voltage-activated membrane currents in rat cerebellar granule neurones. 179

DALY C.J., MCGRATH J.C. & WILSON V.G. Preliminary evidence for the release of cellular-bound calcium by post-junctional α_2-adrenoceptors in the rabbit isolated ear vein. (C) 57P

DANIEL P.M. *see* CHATAMRA K.-R., DANIEL P.M. & WARLEY Alice Liver glycogen in the anaesthetized diabetic rat. (C) 42P

DAVIDSON Jillian, DONNELLY Sarah, MILTON A.S., ROTONDO D. & RUTHERFORD R. The effect of 3′-azido-3′-deoxythymidine (AZT) and fusidic acid on pyrogen-induced fever in the rabbit. (C) 44P

DAVIES S.N. *see* COLLINGRIDGE G.L., DAVIES S.N. & REYMANN K.G. Long-term potentiation in the rat hippocampal slice *in vitro* is associated with a delayed increase in sensitivity of CA1 neurones to AMPA. (C) 23P

DAY B.L., MARSDEN C.D. & ROTHWELL J.C. Contrasting effects of muscle stretch on the response to magnetic and electric cortical stimulation in man. (C) 13P

DAY B.L., MARSDEN C.D., ROTHWELL J.C., THOMPSON P.D. & UGAWA Y. An investigation of the EMG silent period following stimulation of the brain in normal man. (C) 14P

DAY Timothy J., LAGERLUND Terrence D. & LOW Phillip A. Analysis of H_2 clearance curves used to measure blood flow in rat sciatic nerve. 35

DAYANITHI G. *see* ANTONI F.A. & DAYANITHI G. Guanosine 3′5′-cyclic monophosphate (cGMP) and activators of guanylate cyclase inhibit secretagogue-induced corticotrophin (ACTH) release by isolated rat anterior pituitary cells. (C) 43P

DEMBOWSKY K. *see* BOCZEK-FUNCKE A., DEMBOWSKY K., HÄBLER H.-J., JÄNIG W. & MICHAELIS M. Respiratory modulation of thoracic sympathetic preganglionic neurones in the anaesthetized cat. (C) 35P

DEVRIES S.H. & SCHWARTZ E.A. Modulation of an electrical synapse between solitary pairs of catfish horizontal cells by dopamine and second messengers. 351

DONALDSON G. *see* COLESHAW Susan R.K., DONALDSON G., EASTON J.C., KEATINGE W.R. & SYNDERCOMBE-COURT Denise Haematological changes during cooling and rewarming in humans. (C) 41P

DONALDSON G.C., NEWSTEAD C.G. & SNEYD J.R. The relationship between arterial potassium and carbon dioxide production rate during rowing in man. (C) 27P

DONNELLY Sarah *see* DAVIDSON Jillian, DONNELLY Sarah, MILTON A.S., ROTONDO D. & RUTHERFORD R. The effect of 3′-azido-3′-deoxythymidine (AZT) and fusidic acid on pyrogen-induced fever in the rabbit. (C) 44*P*

DRAY A. *see* BETTANEY J., DRAY A. & FORSTER P. Extracellular sodium and desensitization of nociceptive fibres by capsaicin in the neonatal rat spinal cord/tail *in vitro*. (C) 21*P*

EASTON J.C. *see* COLESHAW Susan R.K., DONALDSON G., EASTON J.C., KEATINGE W.R. & SYNDERCOMBE-COURT Denise Haematological changes during cooling and rewarming in humans. (C) 41*P*

EDGLEY S.A., EYRE J.A., LEMON R.N. & MILLER J.S.G. Direct activation of corticospinal neurones by electromagnetic stimulation in anaesthetized and conscious monkeys. (C) 8*P*

EDWARDS A.V., EKSTRÖM J. & TOBIN G. Responses to stimulation of the parasympathetic innervation to the submandibular gland in the anaesthetized ferret. (C) 29*P*

EKSTRÖM J. *see* EDWARDS A.V., EKSTRÖM J. & TOBIN G. Responses to stimulation of the parasympathetic innervation to the submandibular gland in the anaesthetized ferret. (C) 29*P*

EKSTRÖM J. & TOBIN G. Protein release from salivary glands of the anaesthetized cat and from salivary gland tissue *in vitro* in response to vasoactive intestinal peptide. (C) 30*P*

ELEK J.M. & PROCHAZKA A. Attenuation of human wrist tremor with closed-loop electrical stimulation of muscles. (C) 17*P*

ELEK J.M., HULLIGER M., PROCHAZKA A., VINCENT S. & WALDON V. Stretch of gastrocnemius tendons in the step cycle inferred from muscle spindle responses to active and passive movements in anaesthetised cats. (C) 18*P*

ELLIOTT A.C. *see* BROWN P.D., ELLIOTT A.C. & LAU K.R. Indirect evidence for the presence of non-specific anion channels in rabbit mandibular salivary gland acinar cells. 415

ELZINGA G., LÄNNERGREN J. & SIMONIDES W.S. Labile heat and parvalbumin content of single-muscle fibres isolated from the iliofibularis muscle of *Xenopus laevis*. (C) 48*P*

EYRE J.A. *see* EDGLEY S.A., EYRE J.A., LEMON R.N. & MILLER J.S.G. Direct activation of corticospinal neurones by electromagnetic stimulation in anaesthetized and conscious monkeys. (C) 8*P*

EYRE J.A., GIBSON M., KOH T.H.H.G., MILLER S., O'SULLIVAN M.C. & RAMESH V. Corticospinal transmission excited by electromagnetic stimulation of the brain is impaired in children with spastic hemiparesis but normal in those with quadriparesis. (C) 9*P*

FERRELL William R. & KHOSHBATEN Ali Adrenoceptor profile of blood vessels in the knee joint of the rabbit. 377

FIRTH J.D., LEDINGHAM J.G.G. & RAINE A.E.G. Sodium reabsorption in the metabolically inhibited isolated perfused rat kidney. (C) 31*P*

FORSLING Mary L., PEYSNER K., SAMUELS Lisa, WILLIAMS Eleri & WINDLE R. Does ovariectomy influence release of vasopressin in the rat? (C) 45*P*

FORSTER P. *see* BETTANEY J., DRAY A. & FORSTER P. Extracellular sodium and desensitization of nociceptive fibres by capsaicin in the neonatal rat spinal cord/tail *in vitro*. (C) 21*P*

FRENKEL E.J., GRAZIANI M. & SCHATZMANN H.J. ATP requirement of the sodium-dependent magnesium extrusion from human red blood cells. 385

FRY C.H. & LISTON T.G. Contractile responses of isolated human and ferret bladder smooth muscle to pH changes. (C) 56*P*

FRYER Martin W., LAMB Graham D. & NEERING Ian R. The action of ryanodine on rat fast and slow intact skeletal muscles. 399

FULLER B.J. *see* BUSZA A.L., FULLER B.J. & PROCTOR E. Application of ^{31}P-NMR spectroscopy to the study of metabolism during cold preservation and perfusion of the isolated rat liver. (D) 7*P*

FURUYA S., OHMORI H., SHIGEMOTO T. & SUGIYAMA H. Intracellular calcium mobilization triggered by a glutamate receptor in rat cultured hippocampal cells. 539

GADIAN D.G. *see* BACHELARD H.S., BATES T.E., BROOKS K., GADIAN D.G., KAUPPINEN R.A. & WILLIAMS S.R. Intracellular acidification induced by low concentrations of ammonium ions in cortical brain slices from guinea-pig: a ^{31}P NMR study. (C) 53*P*

GARRETT J.R. *see* ANDERSON L.C., GARRETT J.R. & PROCTOR G.B. Sympathetic nerve stimulation of parotid glanduar secretion in the streptozotocin-diabetic anaesthetized rat. (C) 28*P*

GIBSON M. *see* EYRE J.A., GIBSON M., KOH T.H.H.G., MILLER S., O'SULLIVAN M.C. & RAMESH V. Corticospinal transmission excited by electromagnetic stimulation of the brain is impaired in children with spastic hemiparesis but normal in those with quadriparesis. (C) 9*P*

GLADDEN Margaret H. & SUTHERLAND Fiona I. Do cats have three types of static gamma axon? (C) 19*P*

GONOI Tohru, HAGIHARA Yashiro, KOBAYASHI Jun'ichi, NAKAMURA Hideshi & OHIZUMI Yasushi Geographutoxin-sensitive and insensitive sodium currents in mouse skeletal muscle developing *in situ*. 159

GRAZIANI M. *see* FRENKEL E.J., GRAZIANI M. & SCHATZMANN H.J. ATP requirement of the sodium-dependent magnesium extrusion from human red blood cells. 385

GREGORY J.E., IGGO A., MCINTYRE A.K. & PROSKE U. Responses of electroreceptors in the snout of the echidna. 521

HABARA Yoshiaki Suppression of secretagogue-induced amylase secretion in pancreatic acini of cold-exposed rats. 73

HÄBLER H.-J. *see* BOCZEK-FUNCKE A., DEMBOWSKY K., HÄBLER H.-J., JÄNIG W. & MICHAELIS M. Respiratory modulation of thoracic sympathetic preganglionic neurones in the anaesthetized cat. (C) 35*P*

HAGIHARA Yashiro *see* GONOI Tohru, HAGIHARA Yashiro, KOBAYASHI Jun'ichi, NAKAMURA Hideshi & OHIZUMI Yasushi Geographutoxin-sensitive and insensitive sodium currents in mouse skeletal muscle developing *in situ*. 159

HANSON M.A. & WILLIAMS B.A. The effect of decerebration and brain-stem transection on the ventilatory response to acute hypoxia in normoxic and chronically hypoxic newborn rats. (C) 25*P*

HEATHCOTE R. David Acetylcholine-gated and chloride conductance channel expression in rat muscle membrane. 473

HICKS Audrey & MCCOMAS Alan J. Increased sodium pump activity following repetitive stimulation of rat soleus muscles. 337

HOUNSGAARD Jørn & KIEHN Ole Serotonin-induced bistability of turtle motoneurones caused by a nifedipine-sensitive calcium plateau potential. 265

HUGUENARD John R. *see* COULTER Douglas A., HUGUENARD John R. & PRINCE David A. Calcium currents in rat thalamocortical relay neurones: kinetic properties of the transient, low-threshold current. 587

HULLIGER M. *see* ELEK J.M., HULLIGER M., PROCHAZKA A., VINCENT S. & WALDON V. Stretch of gastrocnemius tendons in the step cycle inferred from muscle spindle responses to active and passive movements in anaesthetised cats. (C) 18*P*

HUNZIKER E.B. & SCHENK R.K. Physiological mechanisms adopted by chondrocytes in regulating longitudinal bone growth in rats. 55

IGGO A. *see* GREGORY J.E., IGGO A., MCINTYRE A.K. & PROSKE U. Responses of electroreceptors in the snout of the echidna. 521

IKEDA Hisako, KAY C.D. & ROBBINS J. Excitatory amino acid receptors on 'sustained' retinal ganglion cells in the anaesthetized kitten. (C) 24*P*

ILES J.F. Spatial facilitation from the motor cortex of D_1 and D_2 inhibition in the human soleus. (C) 12*P*

JÄNIG W. *see* BOCZEK-FUNCKE A., DEMBOWSKY K., HÄBLER H.-J., JÄNIG W. & MICHAELIS M. Respiratory modulation of thoracic sympathetic preganglionic neurones in the anaesthetized cat. (C) 35*P*

JÄNIG W. & LISNEY S.J.W. Cutaneous vasodilatation produced by antidromic stimulation of small-diameter myelinated (Aδ) afferents in anaesthetized rats. (C) 36*P*

JENSEN Morten Skovgaard *see* ANDREASEN Mogens, LAMBERT John D.C. & JENSEN Morten Skovgaard Effects of new non-*N*-methyl-D-aspartate antagonists on synaptic transmission in the *in vitro* rat hippocampus. 317

KAUPPINEN R.A. *see* BACHELARD H.S., BATES T.E., BROOKS K., GADIAN D.G., KAUPPINEN R.A. & WILLIAMS S.R. Intracellular acidification induced by low concentrations of ammonium ions in cortical brain slices from guinea-pig: a ^{31}P NMR study. (C) 53*P*

KAY C.D. *see* IKEDA Hisako, KAY C.D. & ROBBINS J. Excitatory amino acid receptors on 'sustained' retinal ganglion cells in the anaesthetized kitten. (C) 24*P*

KEATINGE W.R. *see* COLESHAW Susan R.K., DONALDSON G., EASTON J.C., KEATINGE W.R. & SYNDERCOMBE-COURT Denise Haematological changes during cooling and rewarming in humans. (C) 41*P*

KHOSHBATEN Ali *see* FERRELL William R. & KHOSHBATEN Ali Adrenoceptor profile of blood vessels in the knee joint of the rabbit. 377

KIEHN Ole *see* HOUNSGAARD Jørn & KIEHN Ole Serotonin-induced bistability of turtle motoneurones caused by a nifedipine-sensitive calcium plateau potential. 265

KIMURA Fumitaka, NISHIGORI Ayahiko, SHIROKAWA Tetsuya & TSUMOTO Tadaharu Long-term potentiation and *N*-methyl-D-aspartate receptors in the visual cortex of young rats. 125

KIRKWOOD P.A. & SEARS T.A. Dual descending pathways to inspiratory motoneurones in the anaesthetized cat. (C) 15*P*

KITAKAZE Masafumi & MARBAN Eduardo Cellular mechanism of the modulation of contractile function by coronary perfusion pressure in ferret hearts. 455

KOBAYASHI Jun'ichi *see* GONOI Tohru, HAGIHARA Yashiro, KOBAYASHI Jun'ichi, NAKAMURA Hideshi & OHIZUMI Yasushi Geographutoxin-sensitive and insensitive sodium currents in mouse skeletal muscle developing *in situ*. 159

KOH T.H.H.G. *see* EYRE J.A., GIBSON M., KOH T.H.H.G., MILLER S., O'SULLIVAN M.C. & RAMESH V. Corticospinal transmission excited by electromagnetic stimulation of the brain is impaired in children with spastic hemiparesis but normal in those with quadriparesis. (C) 9*P*

KOLTZENBURG M. Sympathetic reflexes change when cutaneous nerves of the adult cat reinnervate inappropriate target tissue. (C) 34*P*

KUDO Y. *see* BOYD C.A.R. & KUDO Y. Regulation by pH of cation selectivity of human placental basal plasma membrane vesicles determined by measurement of L-lysine influx. (C) 52*P*

LAGERLUND Terrence D. *see* DAY Timothy J., LAGERLUND Terrence D. & LOW Phillip A. Analysis of H_2 clearance curves used to measure blood flow in rat sciatic nerve. 35

LAMB Graham D. *see* FRYER Martin W., LAMB Graham D. & NEERING Ian R. The action of ryanodine on rat fast and slow intact skeletal muscles. 399

LAMB T.D., MATTHEWS H.R. & MURPHY R.L.W. Cell capacitance limits the responses of cone photoreceptors isolated from the tiger salamander retina. (C) 51*P*

LAMBERT John D.C. *see* ANDREASEN Mogens, LAMBERT John D.C. & JENSEN Morten Skovgaard Effects of new non-*N*-methyl-D-aspartate antagonists on synaptic transmission in the *in vitro* rat hippocampus. 317

LÄNNERGREN J. *see* ELZINGA G., LÄNNERGREN J. & SIMONIDES W.S. Labile heat and parvalbumin content of single-muscle fibres isolated from the iliofibularis muscle of *Xenopus laevis*. (C) 48*P*

LAU K.R. *see* BROWN P.D., ELLIOTT A.C. & LAU K.R. Indirect evidence for the presence of non-specific anion channels in rabbit mandibular salivary gland acinar cells. 415

LEA T.J. *see* ASHLEY C.C., LEA T.J., MULLIGAN I.P. & TIMMERMAN M.P. Calcium-induced calcium release from the sarcoplasmic reticulum of *Balanus* striated muscle using laser-induced photolysis of nitr-5. (C) 50*P*

LEDINGHAM J.G.G. *see* FIRTH J.D., LEDINGHAM J.G.G. & RAINE A.E.G. Sodium reabsorption in the metabolically inhibited isolated perfused rat kidney. (C) 31*P*

LEE B.B., MARTIN P.R. & VALBERG A. Sensitivity of macaque retinal ganglion cells to chromatic and luminance flicker. 223

LEE B.B., MARTIN P.R. & VALBERG A. Amplitude and phase of responses of macaque retinal ganglion cells to flickering stimuli. 245

LEE J.A. *see* ALLEN D.G., LEE J.A. & WESTERBLAD H. The effects of fatigue on intracellular calcium measured with fura-2 in isolated single muscle fibres from *Xenopus*. (C) 49*P*

LEMON R.N. *see* EDGLEY S.A., EYRE J.A., LEMON R.N. & MILLER J.S.G. Direct activation of corticospinal neurones by electromagnetic stimulation in anaesthetized and conscious monkeys. (C) 8*P*

LEVICK J.R. & MCDONALD J.N. The effect of extravascular albumin upon flow across the synovial lining of knees in anaesthetized rabbits. (C) 46*P*

LEWIS D.M. *see* AL-AMOOD W.S. & LEWIS D.M. A comparison of the effects of denervation on the mechanical properties of rat and guinea-pig skeletal muscle. 1

LI Kaiying, PONTE J. & SADLER C.L. Adaptation of carotid body chemoreceptor discharge to hypoxia in the anaethetized rabbit. (C) 26*P*

LINDGREN Clark A. & MOORE John W. Indentification of ionic currents at presynaptic nerve endings of the lizard. 201

LISNEY S.J.W. *see* JÄNIG W. & LISNEY S.J.W. Cutaneous vasodilatation produced by antidromic stimulation of small-diameter myelinated (Aδ) afferents in anaesthetized rats. (C) 36*P*

LISTON T.G. *see* FRY C.H. & LISTON T.G. Contractile responses of isolated human and ferret bladder smooth muscle to pH changes. (C) 56*P*

LLINÁS R., MÜHLETHALER M. & WALTON K. Electrophysiology of the isolated adult guinea-pig brain *in vitro*. (C) 16*P*

Low Phillip A. *see* Day Timothy J., Lagerlund Terrence D. & Low Phillip A. Analysis of H_2 clearance curves used to measure blood flow in rat sciatic nerve. 35

Lynn B. & Shakhanbeh J. Axon reflex flare in anaesthetized rabbit skin. (C) 37*P*

Maccabee P.J. *see* Amassian V.E., Cracco R.Q., Maccabee P.J. & Somasundaram M. Focal magnetic coil stimulation near human central sulcus exceptionally elicits localized contralateral paraesthesias. (C) 22*P*

McComas Alan J. *see* Hicks Audrey & McComas Alan J. Increased sodium pump activity following repetitive stimulation of rat soleus muscles. 337

MacDonald J.F., Mody I. & Salter M.W. Regulation of *N*-methyl-D-aspartate receptors revealed by intracellular dialysis of murine neurones in culture. 17

McDonald J.N. *see* Levick J.R. & McDonald J.N. The effect of extravascular albumin upon flow across the synovial lining of knees in anaesthetized rabbits. (C) 46*P*

McDonald Terence, Pelzer Dieter & Trautwein Wolfgang Dual action (stimulation, inhibition) of D600 on contractility and calcium channels in guinea-pig and cat heart cells. 569

McGrath J.C. *see* Daly C.J., McGrath J.C. & Wilson V.G. Preliminary evidence for the release of cellular-bound calcium by post-junctional α_2-adrenoceptors in the rabbit isolated ear vein. (C) 57*P*

McIntyre A.K. *see* Gregory J.E., Iggo A., McIntyre A.K. & Proske U. Responses of electroreceptors in the snout of the echidna. 521

Makous Walter *see* Chen Bing & Makous Walter Light capture by human cones. 89

Malcolm J.E. & Taylor D.E.M. Patterns of secondary blood flow in the left ventricle (LV) of anaesthetized dog. (C) 38*P*

Marban Eduardo *see* Kitakaze Masafumi & Marban Eduardo Cellular mechanism of the modulation of contractile function by coronary perfusion pressure in ferret hearts. 455

Marsden C.D. *see* Day B.L., Marsden C.D. & Rothwell J.C. Contrasting effects of muscle stretch on the response to magnetic and electric cortical stimulation in man. (C) 13*P*

Marsden C.D. *see* Day B.L., Marsden C.D., Rothwell J.C., Thompson P.D. & Ugawa Y. An investigation of the EMG silent period following stimulation of the brain in normal man. (C) 14*P*

Marshall Cameron, G. *see* Cull-Candy Stuart G., Marshall Cameron, G. & Ogden David Voltage-activated membrane currents in rat cerebellar granule neurones. 179

Martin P.R. *see* Lee B.B., Martin P.R. & Valberg A. Sensitivity of macaque retinal ganglion cells to chromatic and luminance flicker. 223

Martin P.R. *see* Lee B.B., Martin P.R. & Valberg A. Amplitude and phase of responses of macaque retinal ganglion cells to flickering stimuli. 245

Matsuda Hiroko & Stanfield P.R. Single inwardly rectifying potassium channels in cultured muscle cells from rat and mouse. 111

Matthews H.R. A self-emptying bubble trap. (D) 3*P*

Matthews H.R. *see* Lamb T.D., Matthews H.R. & Murphy R.L.W. Cell capacitance limits the responses of cone photoreceptors isolated from the tiger salamander retina. (C) 51*P*

Michaelis M. *see* Boczek-Funcke A., Dembowsky K., Häbler H.-J., Jänig W. & Michaelis M. Respiratory modulation of thoracic sympathetic preganglionic neurones in the anaesthetized cat. (C) 35*P*

Miller J.S.G. *see* Edgley S.A., Eyre J.A., Lemon R.N. & Miller J.S.G. Direct activation of corticospinal neurones by electromagnetic stimulation in anaesthetized and conscious monkeys. (C) 8*P*

Miller S. *see* Eyre J.A., Gibson M., Koh T.H.H.G., Miller S., O'Sullivan M.C. & Ramesh V. Corticospinal transmission excited by electromagnetic stimulation of the brain is impaired in children with spastic hemiparesis but normal in those with quadriparesis. (C) 9*P*

Milton A.S. *see* Davidson Jillian, Donnelly Sarah, Milton A.S., Rotondo D. & Rutherford R. The effect of 3′-azido-3′-deoxythymidine (AZT) and fusidic acid on pyrogen-induced fever in the rabbit. (C) 44*P*

Mody I. *see* MacDonald J.F., Mody I. & Salter M.W. Regulation of *N*-methyl-D-aspartate receptors revealed by intracellular dialysis of murine neurones in culture. 17

Mollon J.D. & Reffin J.P. A computer-controlled colour vision test that combines the principles of Chibret and of Stilling. (D) 5*P*

Moore John W. *see* Lindgren Clark A. & Moore John W. Indentification of ionic currents at presynaptic nerve endings of the lizard. 201

MÜHLETHALER M. *see* LLINÁS R., MÜHLETHALER M. & WALTON K. Electrophysiology of the isolated adult guinea-pig brain *in vitro*. (C) 16*P*

MULIERI Louis A. *see* ALPERT Norman R., BLANCHARD Edward M. & MULIERI Louis A. Tension-independent heat in rabbit papillary muscle. 433

MULLIGAN I.P. *see* ASHLEY C.C., LEA T.J., MULLIGAN I.P. & TIMMERMAN M.P. Calcium-induced calcium release from the sarcoplasmic reticulum of *Balanus* striated muscle using laser-induced photolysis of nitr-5. (C) 50*P*

MURPHY R.L.W. *see* LAMB T.D., MATTHEWS H.R. & MURPHY R.L.W. Cell capacitance limits the responses of cone photoreceptors isolated from the tiger salamander retina. (C) 51*P*

NAKAMURA Hideshi *see* GONOI Tohru, HAGIHARA Yashiro, KOBAYASHI Jun'ichi, NAKAMURA Hideshi & OHIZUMI Yasushi Geographutoxin-sensitive and insensitive sodium currents in mouse skeletal muscle developing *in situ*. 159

NEERING Ian R. *see* FRYER Martin W., LAMB Graham D. & NEERING Ian R. The action of ryanodine on rat fast and slow intact skeletal muscles. 399

NEWSTEAD C.G. *see* DONALDSON G.C., NEWSTEAD C.G. & SNEYD J.R. The relationship between arterial potassium and carbon dioxide production rate during rowing in man. (C) 27*P*

NIGGLI Ernst Strontium-induced creep currents associated with tonic contractions in cardiac myocytes isolated from guinea-pigs. 549

NISHIGORI Ayahiko *see* KIMURA Fumitaka, NISHIGORI Ayahiko, SHIROKAWA Tetsuya & TSUMOTO Tadaharu Long-term potentiation and *N*-methyl-D-aspartate receptors in the visual cortex of young rats. 125

NOAKES D., WARD J.P.T. & WATSON P.F. An electrode system for long-term monitoring of ionic concentrations for use in the uterus of sheep. (D) 4*P*

OGDEN David *see* CULL-CANDY Stuart G., MARSHALL Cameron, G. & OGDEN David Voltage-activated membrane currents in rat cerebellar granule neurones. 179

OHIZUMI Yasushi *see* GONOI Tohru, HAGIHARA Yashiro, KOBAYASHI Jun'ichi, NAKAMURA Hideshi & OHIZUMI Yasushi Geographutoxin-sensitive and insensitive sodium currents in mouse skeletal muscle developing *in situ*. 159

OHMORI H. *see* FURUYA S., OHMORI H., SHIGEMOTO T. & SUGIYAMA H. Intracellular calcium mobilization triggered by a glutamate receptor in rat cultured hippocampal cells. 539

O'SULLIVAN M.C. *see* EYRE J.A., GIBSON M., KOH T.H.H.G., MILLER S., O'SULLIVAN M.C. & RAMESH V. Corticospinal transmission excited by electromagnetic stimulation of the brain is impaired in children with spastic hemiparesis but normal in those with quadriparesis. (C) 9*P*

PATRICK J.M. & WESTERN P.J. 'Respitrace' monitoring of ventilation pattern in unrestrained ambulant human subjects. (D) 2*P*

PECK Carol K. Visual responses of neurones in cat superior colliculus in relation to fixation of targets. 301

PELZER Dieter *see* MCDONALD Terence, PELZER Dieter & TRAUTWEIN Wolfgang Dual action (stimulation, inhibition) of D600 on contractility and calcium channels in guinea-pig and cat heart cells. 569

PEYSNER K. *see* FORSLING Mary L., PEYSNER K., SAMUELS Lisa, WILLIAMS Eleri & WINDLE R. Does ovariectomy influence release of vasopressin in the rat? (C) 45*P*

PONTE J. *see* LI Kaiying, PONTE J. & SADLER C.L. Adaptation of carotid body chemoreceptor discharge to hypoxia in the anaethetized rabbit. (C) 26*P*

PRINCE David A. *see* COULTER Douglas A., HUGUENARD John R. & PRINCE David A. Calcium currents in rat thalamocortical relay neurones: kinetic properties of the transient, low-threshold current. 587

PROCHAZKA A. *see* ELEK J.M. & PROCHAZKA A. Attenuation of human wrist tremor with closed-loop electrical stimulation of muscles. (C) 17*P*

PROCHAZKA A. *see* ELEK J.M., HULLIGER M., PROCHAZKA A., VINCENT S. & WALDON V. Stretch of gastrocnemius tendons in the step cycle inferred from muscle spindle responses to active and passive movements in anaesthetised cats. (C) 18*P*

PROCTOR E. *see* CHATAMRA K. & PROCTOR E. Measurements of liver blood flow in acute liver damage in the anaesthetized rat using hydrogen clearance. (D) 6*P*

PROCTOR E. *see* BUSZA A.L., FULLER B.J. & PROCTOR E. Application of ^{31}P-NMR spectroscopy to the study of metabolism during cold preservation and perfusion of the isolated rat liver. (D) 7*P*

PROCTOR G.B. *see* ANDERSON L.C., GARRETT J.R. & PROCTOR G.B. Sympathetic nerve stimulation of parotid glanduar secretion in the streptozotocin-diabetic anaesthetized rat. (C) 28*P*

PROSKE U. *see* GREGORY J.E., IGGO A., MCINTYRE A.K. & PROSKE U. Responses of electroreceptors in the snout of the echidna. 521

RAINE A.E.G. *see* FIRTH J.D., LEDINGHAM J.G.G. & RAINE A.E.G. Sodium reabsorption in the metabolically inhibited isolated perfused rat kidney. (C) 31*P*

RAMESH V. *see* EYRE J.A., GIBSON M., KOH T.H.H.G., MILLER S., O'SULLIVAN M.C. & RAMESH V. Corticospinal transmission excited by electromagnetic stimulation of the brain is impaired in children with spastic hemiparesis but normal in those with quadriparesis. (C) 9*P*

REFFIN J.P. *see* MOLLON J.D. & REFFIN J.P. A computer-controlled colour vision test that combines the principles of Chibret and of Stilling. (D) 5*P*

REYMANN K.G. *see* COLLINGRIDGE G.L., DAVIES S.N. & REYMANN K.G. Long-term potentiation in the rat hippocampal slice *in vitro* is associated with a delayed increase in sensitivity of CA1 neurones to AMPA. (C) 23*P*

ROBBINS J. *see* IKEDA Hisako, KAY C.D. & ROBBINS J. Excitatory amino acid receptors on 'sustained' retinal ganglion cells in the anaesthetized kitten. (C) 24*P*

ROMAN R.J. *see* COWLEY JR A.W., CROSS K.M., CROSS R.B. & ROMAN R.J. Renal interstitial pressure in the conscious dog. (C) 32*P*

ROTHWELL J.C. *see* DAY B.L., MARSDEN C.D. & ROTHWELL J.C. Contrasting effects of muscle stretch on the response to magnetic and electric cortical stimulation in man. (C) 13*P*

ROTHWELL J.C. *see* DAY B.L., MARSDEN C.D., ROTHWELL J.C., THOMPSON P.D. & UGAWA Y. An investigation of the EMG silent period following stimulation of the brain in normal man. (C) 14*P*

ROTONDO D. *see* DAVIDSON Jillian, DONNELLY Sarah, MILTON A.S., ROTONDO D. & RUTHERFORD R. The effect of 3′-azido-3′-deoxythymidine (AZT) and fusidic acid on pyrogen-induced fever in the rabbit. (C) 44*P*

RUTHERFORD R. *see* DAVIDSON Jillian, DONNELLY Sarah, MILTON A.S., ROTONDO D. & RUTHERFORD R. The effect of 3′-azido-3′-deoxythymidine (AZT) and fusidic acid on pyrogen-induced fever in the rabbit. (C) 44*P*

SADLER C.L. *see* LI Kaiying, PONTE J. & SADLER C.L. Adaptation of carotid body chemoreceptor discharge to hypoxia in the anaethetized rabbit. (C) 26*P*

SALTER M.W. *see* MACDONALD J.F., MODY I. & SALTER M.W. Regulation of *N*-methyl-D-aspartate receptors revealed by intracellular dialysis of murine neurones in culture. 17

SAMUELS Lisa *see* FORSLING Mary L., PEYSNER K., SAMUELS Lisa, WILLIAMS Eleri & WINDLE R. Does ovariectomy influence release of vasopressin in the rat? (C) 45*P*

SCHATZMANN H.J. *see* FRENKEL E.J., GRAZIANI M. & SCHATZMANN H.J. ATP requirement of the sodium-dependent magnesium extrusion from human red blood cells. 385

SCHENK R.K. *see* HUNZIKER E.B. & SCHENK R.K. Physiological mechanisms adopted by chondrocytes in regulating longitudinal bone growth in rats. 55

SCHMALBRUCH Henning Denervation and reinnervation of hindlimb muscles of newborn rats. (C) 20*P*

SCHWARTZ E.A. *see* DEVRIES S.H. & SCHWARTZ E.A. Modulation of an electrical synapse between solitary pairs of catfish horizontal cells by dopamine and second messengers. 351

SEARS T.A. *see* KIRKWOOD P.A. & SEARS T.A. Dual descending pathways to inspiratory motoneurones in the anaesthetized cat. (C) 15*P*

SEDGWICK E.M. *see* BARRETT G., COLE J.D., SEDGWICK E.M. & TOWELL A.D. Passive movement-related cortical potentials with and without feedback in man. (C) 10*P*

SEDGWICK E.M. *see* BARRETT G., COLE J.D., SEDGWICK E.M. & TOWELL A.D. Active and passive movement-related cortical potentials in man with a large-fibre sensory neuropathy. (C) 11*P*

SHAKHANBEH J. *see* LYNN B. & SHAKHANBEH J. Axon reflex flare in anaesthetized rabbit skin. (C) 37*P*

SHIGEMOTO T. *see* FURUYA S., OHMORI H., SHIGEMOTO T. & SUGIYAMA H. Intracellular calcium mobilization triggered by a glutamate receptor in rat cultured hippocampal cells. 539

SHIROKAWA Tetsuya *see* KIMURA Fumitaka, NISHIGORI Ayahiko, SHIROKAWA Tetsuya & TSUMOTO Tadaharu Long-term potentiation and *N*-methyl-D-aspartate receptors in the visual cortex of young rats. 125

SIMONIDES W.S. *see* VAN HARDEVELD C. & SIMONIDES W.S. Identification and quantification of parvalbumin in isolated single-muscle fibres of *Xenopus laevis*. (C) 47*P*

SIMONIDES W.S. *see* ELZINGA G., LÄNNERGREN J. & SIMONIDES W.S. Labile heat and parvalbumin content of single-muscle fibres isolated from the iliofibularis muscle of *Xenopus laevis*. (C) 48*P*

SNEYD J.R. *see* DONALDSON G.C., NEWSTEAD C.G. & SNEYD J.R. The relationship between arterial potassium and carbon dioxide production rate during rowing in man. (C) 27*P*

SOMASUNDARAM M. *see* AMASSIAN V.E., CRACCO R.Q., MACCABEE P.J. & SOMASUNDARAM M. Focal magnetic coil stimulation near human central sulcus exceptionally elicits localized contralateral paraesthesias. (C) 22*P*

SPYER K.M. *see* BROOKS P.A. & SPYER K.M. Intracellular recordings from rat nucleus tractus solitarius *in vitro* and investigation of the effects of inositol hexakisphosphate. (C) 33*P*

STANFIELD P.R. *see* MATSUDA Hiroko & STANFIELD P.R. Single inwardly rectifying potassium channels in cultured muscle cells from rat and mouse. 111

SUGIYAMA H. *see* FURUYA S., OHMORI H., SHIGEMOTO T. & SUGIYAMA H. Intracellular calcium mobilization triggered by a glutamate receptor in rat cultured hippocampal cells. 539

SUTHERLAND Fiona I. *see* GLADDEN Margaret H. & SUTHERLAND Fiona I. Do cats have three types of static gamma axon? (C) 19*P*

SYNDERCOMBE-COURT Denise *see* COLESHAW Susan R.K., DONALDSON G., EASTON J.C., KEATINGE W.R. & SYNDERCOMBE-COURT Denise Haematological changes during cooling and rewarming in humans. (C) 41*P*

TAYLOR D.E.M. *see* MALCOLM J.E. & TAYLOR D.E.M. Patterns of secondary blood flow in the left ventricle (LV) of anaesthetized dog. (C) 38*P*

THOMPSON P.D. *see* DAY B.L., MARSDEN C.D., ROTHWELL J.C., THOMPSON P.D. & UGAWA Y. An investigation of the EMG silent period following stimulation of the brain in normal man. (C) 14*P*

TIMMERMAN M.P. *see* ASHLEY C.C., LEA T.J., MULLIGAN I.P. & TIMMERMAN M.P. Calcium-induced calcium release from the sarcoplasmic reticulum of *Balanus* striated muscle using laser-induced photolysis of nitr-5. (C) 50*P*

TOBIN G. *see* EDWARDS A.V., EKSTRÖM J. & TOBIN G. Responses to stimulation of the parasympathetic innervation to the submandibular gland in the anaesthetized ferret. (C) 29*P*

TOBIN G. *see* EKSTRÖM J. & TOBIN G. Protein release from salivary glands of the anaesthetized cat and from salivary gland tissue *in vitro* in response to vasoactive intestinal peptide. (C) 30*P*

TOWELL A.D. *see* BARRETT G., COLE J.D., SEDGWICK E.M. & TOWELL A.D. Passive movement-related cortical potentials with and without feedback in man. (C) 10*P*

TOWELL A.D. *see* BARRETT G., COLE J.D., SEDGWICK E.M. & TOWELL A.D. Active and passive movement-related cortical potentials in man with a large-fibre sensory neuropathy. (C) 11*P*

TRAUTWEIN Wolfgang *see* MCDONALD Terence, PELZER Dieter & TRAUTWEIN Wolfgang Dual action (stimulation, inhibition) of D600 on contractility and calcium channels in guinea-pig and cat heart cells. 569

TSUMOTO Tadaharu *see* KIMURA Fumitaka, NISHIGORI Ayahiko, SHIROKAWA Tetsuya & TSUMOTO Tadaharu Long-term potentiation and *N*-methyl-D-aspartate receptors in the visual cortex of young rats. 125

TUKMACHI E.S.A. Effect of leukotriene D4 (LTD4) on the input impedance of the cerebral and cephalic circulation in the anaesthetized dog. (C) 39*P*

TUNSTALL J. *see* CHAPMAN R.A. & TUNSTALL J. An inhibition of contraction by ryanodine in isolated frog atrial muscle. (C) 55*P*

UGAWA Y. *see* DAY B.L., MARSDEN C.D., ROTHWELL J.C., THOMPSON P.D. & UGAWA Y. An investigation of the EMG silent period following stimulation of the brain in normal man. (C) 14*P*

VALBERG A. *see* LEE B.B., MARTIN P.R. & VALBERG A. Sensitivity of macaque retinal ganglion cells to chromatic and luminance flicker. 223

VALBERG A. *see* LEE B.B., MARTIN P.R. & VALBERG A. Amplitude and phase of responses of macaque retinal ganglion cells to flickering stimuli. 245

VAN HARDEVELD C. & SIMONIDES W.S. Identification and quantification of parvalbumin in isolated single-muscle fibres of *Xenopus laevis*. (C) 47*P*

VINCENT S. *see* ELEK J.M., HULLIGER M., PROCHAZKA A., VINCENT S. & WALDON V. Stretch of gastrocnemius tendons in the step cycle inferred from muscle spindle responses to active and passive movements in anaesthetised cats. (C) 18*P*

WALDON V. *see* ELEK J.M., HULLIGER M., PROCHAZKA A., VINCENT S. & WALDON V. Stretch of gastrocnemius tendons in the step cycle inferred from muscle spindle responses to active and passive movements in anaesthetised cats. (C) 18*P*

WALTON K. *see* LLINÁS R., MÜHLETHALER M. & WALTON K. Electrophysiology of the isolated adult guinea-pig brain *in vitro*. (C) 16*P*

WARD J.P.T. *see* NOAKES D., WARD J.P.T. & WATSON P.F. An electrode system for long-term monitoring of ionic concentrations for use in the uterus of sheep. (D) 4*P*

WARD J.P.T. & WARLEY Alice X-ray microanalysis of myocytes isolated from rabbit heart. (C) 54*P*

WARLEY Alice *see* CHATAMRA K.-R., DANIEL P.M. & WARLEY Alice Liver glycogen in the anaesthetized diabetic rat. (C) 42*P*

WARLEY Alice *see* WARD J.P.T. & WARLEY Alice X-ray microanalysis of myocytes isolated from rabbit heart. (C) 54*P*

WATSON P.F. *see* NOAKES D., WARD J.P.T. & WATSON P.F. An electrode system for long-term monitoring of ionic concentrations for use in the uterus of sheep. (D) 4*P*

WESTERBLAD H. *see* ALLEN D.G., LEE J.A. & WESTERBLAD H. The effects of fatigue on intracellular calcium measured with fura-2 in isolated single muscle fibres from *Xenopus*. (C) 49*P*

WESTERN P.J. *see* PATRICK J.M. & WESTERN P.J. 'Respitrace' monitoring of ventilation pattern in unrestrained ambulant human subjects. (D) 2*P*

WESTWOOD D.M. & ZBROŻYNA A.W. Short- and long-term changes in vasodilatation in forearm and calf to repeated 'cold pressor test' in man. (C) 40*P*

WIENS M. *see* ASHBY P. & WIENS M. Reciprocal inhibition following lesions of the spinal cord in man. 145

WIER W.G. *see* BEUCKELMANN D.J. & WIER W.G. Sodium–calcium exchange in guinea-pig cardiac cells: exchange current and changes in intracellular Ca^{2+}. 499

WILLIAMS B.A. *see* HANSON M.A. & WILLIAMS B.A. The effect of decerebration and brain-stem transection on the ventilatory response to acute hypoxia in normoxic and chronically hypoxic newborn rats. (C) 25*P*

WILLIAMS Eleri *see* FORSLING Mary L., PEYSNER K., SAMUELS Lisa, WILLIAMS Eleri & WINDLE R. Does ovariectomy influence release of vasopressin in the rat? (C) 45*P*

WILLIAMS S.R. *see* BACHELARD H.S., BATE T.E., BROOKS K., GADIAN D.G., KAUPPINEN R.A. & WILLIAMS S.R. Intracellular acidification induced by low concentrations of ammonium ions in cortical brain slices from guinea-pig: a ^{31}P NMR study. (C) 53*P*

WILSON V.G. *see* DALY C.J., MCGRATH J.C. & WILSON V.G. Preliminary evidence for the release of cellular-bound calcium by post-junctional α_2-adrenoceptors in the rabbit isolated ear vein. (C) 57*P*

WINDLE R. *see* FORSLING Mary L., PEYSNER K., SAMUELS Lisa, WILLIAMS Eleri & WINDLE R. Does ovariectomy influence release of vasopressin in the rat? (C) 45*P*

ZBROŻYNA A.W. *see* WESTWOOD D.M. & ZBROŻYNA A.W. Short- and long-term changes in vasodilatation in forearm and calf to repeated 'cold pressor test' in man. (C) 40*P*